



**GSIS BIDS AND AWARDS COMMITTEE
FOR INFRASTRUCTURE AND INFORMATION TECHNOLOGY**

Project Title: **Supply, Delivery and Configuration of PC Desktops**

Bid Bulletin No. 1
05 February 2020

This bid bulletin is issued to amend the Bidding Documents and to respond to the bidder's queries for the *Supply, Delivery and Configuration of PC Desktops*. This shall form an integral part of the Bidding Documents.

VII. SECTION VII. TECHNICAL SPECIFICATIONS

| PARTICULARS | SPECIFICATIONS (From) | SPECIFICATIONS (To) |
|--------------------|--|--|
| PC Desktop | Operating System Latest 64-bit operating system that is fully compatible with the applications/software being used by the GSIS. | Operating System Latest 64-bit operating system that is fully compatible with the applications/software being used by the GSIS. <u>OS Version should be the same with the existing version being used by GSIS.</u> |
| | Optical drive SATA Super Multi DVD drive | Optical drive SATA Super Multi DVD drive <u>or its equivalent.</u> |
| | Wireless 802.11a/b/g/n/ac with Bluetooth (latest version) | Wireless 802.11a/b/g/n/ac with Bluetooth <u>4.2 version.</u> |
| | Software included Recovery Manager | Software included Recovery Manager <u>(Pre-Installed)</u> |
| | Battery type Sealed, non-spillage, maintenance-free, lead acid with five (5) year typical lifetime | Battery type Sealed, non-spillage, maintenance-free, lead acid with <u>three (3)</u> years warranty. |

ANNEX A LIST OF GSIS OFFICES

| BRANCHES | # of units |
|--------------------------------------|-------------------|
| LUZON GROUP (BRANCH OFFICES) | |
| <i>Luzon North</i> | |
| Baguio Branch Office | 2 |
| Bataan Branch Office | 2 |
| Iba Extension Office | 1 |
| Bayombong Branch Office | 2 |
| Bulacan Branch Office | 2 |
| Cabanatuan Branch Office | 2 |
| Cauayan Branch Office | 2 |
| Dagupan Branch Office | 3 |
| La Union Branch Office | 2 |
| Laoag Branch Office | 2 |
| Pampanga Branch Office | 2 |
| Tarlac Branch Office | 2 |
| Tuguegarao Branch Office | 3 |
| <i>Luzon South</i> | |
| Batangas Branch Office | 4 |
| Calapan Extension Office | 1 |
| Mamburao Extension Office | 1 |
| Laguna Branch Office | 3 |
| Legaspi Branch Office | 3 |
| Virac Extension Office | 1 |
| Lucena Branch Office | 2 |
| Boac Extension Office | 1 |
| Naga Branch Office | 2 |
| Palawan Branch Office | 2 |
| Sorsogon Branch Office | 2 |
| Masbate Extension Office | 1 |
| VISMIN GROUP (BRANCH OFFICES) | |
| <i>Visayas</i> | |
| Bacolod Branch Office | 2 |
| Bohol Branch Office | 2 |
| Catbalogan Branch Office | 2 |
| Borongan Extension Office | 1 |
| Catarman Extension Office | 1 |
| Cebu Branch Office | 4 |
| Dumaguete Branch Office | 1 |
| Iloilo Branch Office | 4 |
| Aklan Extension Office | 1 |
| Antique Extension Office | 1 |
| Maasin Branch Office | 2 |

| | |
|---------------------------------------|------------|
| Roxas Branch Office | 2 |
| Tacloban Branch Office | 4 |
| Ormoc Extension Office | 1 |
| Mindanao | |
| Butuan Branch Office | 3 |
| Cagayan De Oro Branch Office | 2 |
| Cotabato Branch Office | 2 |
| Davao Branch Office | 4 |
| Dipolog Branch Office | 2 |
| General Santos Branch Office | 2 |
| Iligan Branch Office | 2 |
| Kidapawan Branch Office | 2 |
| Malaybalay Branch Office | 2 |
| Pagadian Branch Office | 2 |
| Surigao Branch Office | 2 |
| Tandag Extension Office | 1 |
| Tagum Branch Office | 2 |
| Zamboanga Branch Office | 2 |
| Basilan Extension Office | 1 |
| | |
| TOTAL UNITS FOR BRANCH OFFICES | 109 |
| | |
| HOME OFFICE | |
| HO DEPTS | 158 |
| Quezon City BO | 5 |
| | |
| OVERALL TOTAL | 272 |

Note: Distribution is based on the number of non-warranty units per area and is subject to change depending on the number of units that will become defective.

ANNEX B - CRITERIA FOR PROOF OF CONCEPT

| PARTICULARS | SPECIFICATIONS (From) | SPECIFICATIONS (To) |
|--------------------|---|--|
| UPS | Standard back-up time | Standard back-up time |
| | 15 minutes (actual testing) | 15 minutes (actual testing) |
| | | Must Be fully charged one (1) day before the conduct of POC. |
| | Battery type | Battery type |
| | Sealed, non-spillage, maintenance-free, lead acid with five (5) year typical lifetime | Sealed, non-spillage, maintenance-free, lead acid. |

BIDDER's QUERIES/CONCERNS

| Queries | GSIS Response |
|---|---|
| <p>The brand of the PC Desktop to be supplied must be included in the Leaders and Visionaries levels in the Magic Quadrant for Enterprise Desktop and Notebooks based on the latest study done by Gartner Inc. (NYSE:IT)</p> <p><i>May we request that the brand of PC Included in the <u>Gartner's Preliminary Worldwide PC Vendor Unit Shipment Estimates for 4Q19</u> report be accepted. Below is the link for your reference.</i></p> <p>https://www.gartner.com/en/newsroom/press-releases/2020-01-13-gartner-says-worldwide-pc-shipments-grew-2-point-3-percent-in-4q19-and-point-6-percent-for-the-year</p> | <p>Retain the original requirement.</p> |

For the guidance and information of all concerned.

SVP RACQUEL DE GUZMAN - BUENSALIDA

Chairperson

GBAC for Infrastructure and Information Technology

| Name | Signature |
|-------|-----------|
| _____ | _____ |
| _____ | _____ |
| _____ | _____ |